



Sample Lab

Bengaluru, Karnataka

+91 79922 88483 | hello@drlably.com | www.drlably.com



Verify Report

License: LAB-2026-23123 • GST: ABC123456789

PATIENT INFORMATION

Mr goli

60 years / MALE

Registration ID: 2af29e79-c48c-48d8-b513-c34fa0d262ba

Phone: 7345678900

Email:
contact.tanyakumari@gmail.com

Address: adfgllg;dgd;flg;bdsdsass

TEST DETAILS

Cholinesterase

Referred by: DR. BHIMA

REPORT INFORMATION

Reported: 2026-08-08

TAT: 0h / 6h

SPECIMEN INFORMATION

Type: Plasma

Collected: 2026-08-08 15:05:15

Received: 2026-08-08 15:05:15

CLINICAL BIOCHEMISTRY

Cholinesterase (CHOLINESTERASE)

PARAMETER	RESULT	UNIT	REFERENCE RANGE	STATUS
Cholinesterase Inhibition	11	%	0 - 20	NORMAL
Cholinesterase Activity (Pseudo)	4900	U/L	3000 - 8000	NORMAL
Specific Cholinesterase	1232	U/L	1000 - 4000	NORMAL
Cholinesterase	2209	U/L	4300 - 13000	LOW

INTERPRETATION GUIDE

• Values marked **H** (High) or **L** (Low) are outside normal reference range • All results should be interpreted in clinical context by a qualified physician • Reference ranges may vary based on age, gender, and methodology • For medical advice, please consult your healthcare provider

END OF REPORT

Shrikant Joshi
Lab Technician

Dr. Raju Patel
MBBS, MD

NOT VALID FOR MEDICO-LEGAL PURPOSES

Working Hours: Monday to Saturday, 8:00 AM - 6:00 PM

Dr.Lably LIS • 08/08/2026 15:05:56 • ID: RPT20260808150556