



Sample Lab

Bengaluru, Karnataka

+91 79922 88483 | hello@drlably.com | www.drlably.com



Verify Report

License: LAB-2026-23123 • GST: ABC123456789

PATIENT INFORMATION

Mr varun kumar

18 years / MALE

Registration ID: e0f8282b-f169-426d-a79f-b82a0bde9d9c

TEST DETAILS

Semen Analysis

Referred by: Self

REPORT INFORMATION

Reported: 2026-08-17

TAT: 0h / 4h

SPECIMEN INFORMATION

Type: Semen

Collected: 2026-08-17 12:44:41

Received: 2026-08-17 12:44:41

SPECIAL TESTS

Semen Analysis (SEMEN_ANALYSIS)

PARAMETER	RESULT	UNIT	REFERENCE RANGE	STATUS
Volume	2	mL	1.5 - 5	NORMAL
Liquefaction Time	34	minutes	0 - 60	NORMAL
pH	3		7.2 - 8	LOW
Sperm Count	89	million/mL	15 - 200	NORMAL
Total Sperm Count	32	million	39 - 1000	LOW
Motility %	109	%	40 - 100	HIGH
Morphology %	78	%	4 - 100	NORMAL
WBC	1	million/mL	0 - 1	NORMAL

END OF REPORT

Shrikant Joshi
Lab Technician

Dr. Raju Patel
MBBS, MD

NOT VALID FOR MEDICO-LEGAL PURPOSES

Working Hours: Monday to Saturday, 8:00 AM - 6:00 PM

Dr.Lably LIS • 17/08/2026 12:45:35 • ID: RPT20260817124535