



Sample Lab

Bengaluru, Karnataka

+91 79922 88483 | hello@drilably.com | www.drilably.com



Verify Report

License: LAB-2026-23123 • GST: ABC123456789

PATIENT INFORMATION

Mr Dedutt Patil

45 years / MALE

Registration ID: aa9b8c2c-e0ff-4ca5-92c8-7bbfc22ef43e

TEST DETAILS

Vitamin B12

Referred by: Self

REPORT INFORMATION

Reported: 2026-08-16

TAT: 0h / 24h

SPECIMEN INFORMATION

Type: Serum

Collected: 2026-08-16 17:30:59

Received: 2026-08-16 17:30:59

VITAMINS & MINERALS

Vitamin B12 (VITAMIN_B12)

PARAMETER	RESULT	UNIT	REFERENCE RANGE	STATUS
Vitamin B12	108	pg/mL	0 - 200	NORMAL

CLINICAL NOTES

Serum Vitamin B12 (cobalamin) level is within normal reference range (≥ 300 pg/mL). Vitamin B12 is essential for DNA synthesis, red blood cell formation, and neurological function. Current levels indicate adequate B12 status with no evidence of deficiency that could contribute to megaloblastic anemia or neurological symptoms.

INTERPRETATION GUIDE

• Values marked **H** (High) or **L** (Low) are outside normal reference range • All results should be interpreted in clinical context by a qualified physician • Reference ranges may vary based on age, gender, and methodology • For medical advice, please consult your healthcare provider

END OF REPORT

Shrikant Joshi
Lab Technician

Dr. Raju Patel
MBBS, MD

NOT VALID FOR MEDICO-LEGAL PURPOSES

Working Hours: Monday to Saturday, 8:00 AM - 6:00 PM

Dr.Lably LIS • 16/08/2026 17:31:48 • ID: RPT20260816173148